

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Novalis International

55 West Beaver Creek Road, Unit 29, Richmond Hill, Ontario, Canada

For the following product(s):

Vinyl Tile:

AVA-3, AVA-7, AVA-10, AVA DSGN, AVA DSGN Clic, AVA DSGN LLT, AVA SNSE, AVA STYL, AVA STYL NovaClic, Birkdale, Birkdale LLT, Kempten, Linear, Lyndon, Lyndon Clic, NovaClic, NovaCore HPC, Novafloor-Abberly, NovaFloor-Casa, Novafloor-Davidson, NovaFloor-Hartsfield, NovaFloor-Providence, NovaFloor Casa Clic, Novalis, Novalis-Impression, Novalis-Light Wood, Novalis-Stone, Novalis-Wood, Novalis P201, Novalis P251, Seneca, STAINMASTER® Luxury Vinyl, 5.5 HPC Premium, 6.0 HPC Plus, 6.5 HPC Premium Plus, 7.5 HPC Premium HD, 7.5 HPC Premium HD

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v3.0

Conforms to the CDPH/EHLB Standard Method v1.1-2010 (California Section 01350), effective January 1, 2012, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.1-2010)

Registration # SCS-FS-02221

Valid from: June 1, 2016 to April 30, 2017

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ANSI ACCREDITED PROGRAM
PRODUCT CERTIFICATION
#0821



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Vice President
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA